

CONGRATULATIONS ON THE PURCHASE OF YOUR DES SOL PRODUCT.

Part Number : DSJRPB-G4
Part Description : Des Sol Recovery Point Back GEN4 (2019 - Current)
Vehicle : Suzuki Jimny 2019 – Current

WARNING

NOTE THE FOLLOWING:

- THIS PRODUCT MUST BE INSTALLED EXACTLY AS PER THE FITTING INSTRUCTIONS BELOW AND ONLY THE HARDWARE SUPPLIED WITH THIS PACK IS TO BE USED
- IN THE EVENT OF DAMAGE TO THE REAR RECOVERY POINT , CONTACT YOUR NEAREST DES SOL SUPPLIER – REPAIRS OR MODIFICATIONS MUST NOT BE ATTEMPTED ON THE RECOVERY POINTS.
- THIS PRODUCT AND MOUNTING COMPONENTS MUST NOT BE MODIFIED IN ANY WAY
- DO NOT REMOVE LABELS FROM THIS PRODUCT

Tools required for installation:

- Ratchet & Sockets:
 - 19mm socket
- Spanners
 - 19mm spanner
- Torque wrench (19-110)

ITEMS CONTAINED IN THIS KIT

Main Body	2 x Main rear recovery bracket
Bow Shackles	2 x 3.25T Bow Shackles
Fixing Plate	1 x Type A 1 x Type B
Fasteners	2 x M12 HD ZP Spring Washers 2 x M12 HD ZP Washers 2 x M12x45 ZP Set Screw Grade 8.8

REAR RECOVERY POINT INSTALLATION



1. Slide fixing plate A into the tube of the vehicles chassis.

REAR RECOVERY POINT INSTALLATION



2. Loosely insert the M12x45mm Bolt through the chassis into Fixing plate A.
NOTE: That the brackets will only mount on the tie down point side of the chassis rail.



3. Fixing plate B to be fitted on original tie down point, with the bent tab facing towards the Main Recovery Bracket.
4. Loosely insert the M12x45mm Bolt through the main recovery bracket into Fixing plate B.



5. Tighten both bolts that secure the main recovery bracket to the vehicle (Torque to 80N-m)